

TWC Reg. No. 30347

TEXAS WATER COMMISSION Solid Waste Compliance Monitoring Inspection Report

INSPECTION	CONTRA	CHINGS
TIME IN THE	COALIV	DUEL

2-86 fec

10/85

EPA ID No. TXD 0080 8004 Commercial Waste Facility Govt. Facility
NAME OF COMPANY General Motors Corp.
ADDRESS 2525 East Abrow Rd Tel (817) 649-635
SITE LOCATION Some Awlington TX. Tel.
COUNTY Tarrant TYPE OF INDUSTRY Auto Manufacturer.
Part A Application submitted to the State ? Yes X No To EPA ? Yes X No
Affidavit of Exclusion submitted to the State ? Yes No
Written exclusion granted by TWC? Yes No X If yes, Date
Will this facility require a permit? Yes No X (Closure in Progress)
Current Waste Management (HazH, Class I NonHazNH, Class II, III or check as appropriate
Generator TH. Heatment Storage Disposal Transporter
HW Exemptions: Sm Quan Gen. 90-Day Storage X Other
HW Facilities (circle appropriate codes): C T SI WP LT LF I TT TR WDW O
NH Facilities (circle appropriate codes): C T SI WP LT LF I TT TR WDW O
Anomalies in the above information will be addressed by : (a) Enforcement in progress
(b) Central Office, (c) District Office, (d) Owner/Operator
Inspection Information:
Type of Inspection (circle): EV EB (EC) CL GW SA CD FO OT FE SW
Inspector's Name and Title Rilauderdale
Inspection Participants Kent Moon (Gen Mtrs) - Tom Coldwell (HD&REN
Inspection Date(s) 12/19/85 Tim Sewell (Two)
Approved: R. L. Landerdole
DECENTATION Manager Inspector
Date: /-/4-86
JAN 17 1986 Page 1 of 1

WASTE

Texas Water Commission INTEROFFICE MEMORANDUM

HAZARDOUS AND SOLID **WASTE DIVISION**

TO

Bill Brown, Field Operations Liaison,

Hazardous and Solid Waste Division

DATE: January 14, 1986

THRU

FROM

R. L. Lauderdale, Engineer, District 4

SUBJECT:

General Motors Corporation - Arlington, Texas

Registration No. 30347

On December 19, 1985, the writer contacted Kent Moon, Environmental Engineer, and conducted an annual industrial waste compliance inspection of subject facility.

General Motors Corporation of Arlington paints and assembles automobiles to finished units.

All hazardous wastes except paint sludges are collected in drums and stored outside in a diked and fenced area. Drummed waste is sent to Chemical Waste Management, Lake Charles, Louisiana or Lone Mountain, Waynoke, Oklahoma for disposal. Paint thinner is shipped to Ramsey Chemical Company in Valdosa, Georgia for recycling.

Wastewater from paint booth waterfalls is generated at three paint lines. The wastewater is collected in a 40,000-gallon above-ground metal separator tank where solids are settled out. The paint sludge is collected in portable containers which are emptied into 30-cubic yard dumpsters. The supernatant liquid is pumped to a new physical, chemical waste treatment plant. Area around the separator tank is diked and any spillage is collected by a grit separator, thence is pumped to the new wastewater plant.

Portable containers also collect sludge and grit from the separators and thence deposit into 30-cubic yard dumpsters for disposal at permitted sites.

At the new wastewater plant, sludge and filter backwash cake are collected in 30-cubic yard roll-off dumpsters also from off-site disposal. Treated wastewater effluent from new plant is discharged to the sanitary sewerage system.

Closure plans have been submitted for the drum storage area and surface impoundment which has now been replaced by new wastewater plant. Drum storage area was certified closed June 28, 1985 by consulting engineer. The storage area was free of cracks and surface was clean.

General Motors Corporation - Arlington, Texas Registration No. 30347 Page 2 January 14, 1986

Closure of the surface impoundment was about complete at inspection date. Backfill material was satisfactory. Consulting engineer will submit certification of closure January 1986 to central office.

This is reported for your information.

RLL:jc

APPROVED SIGNED R. L. Fanderdale

TEXAS WATER COMMISSION Solid Waste Compliance Monitoring Inspection Report

CONTENTS SHEET

GENERATORS CHECKLIST

Sec	ction A - Notification and Waste Determination (335.6, .62, .63)
l.	Has a determination has been made that <u>all</u> solid wastes generated are either hazardous or nonhazardous? YES X NO
2.	Check the method used for determination:
	 a. Listed as a hazardous waste in 40 CFR Part 261, Subpart D. X b. Process or materials knowledge. X c. Tested for characteristics as identified in 40 CFR Part 261, Subpart C (If equivalent test method is used, attach a copy). X
TON	E: If a hazardous determination has not been made or appears to be incorrect, the inspector should obtain a sample of the waste for analysis and explain in comments.
3.	Has the facility received an EPA ID number? N/A YES χ NO
4.	Is notification of waste streams generated correct? YES X NO
5.	Do all waste management (TSD) methods in use agree with Registration? YES X NO
6.	Does this facility generate, treat, store, or dispose of PCB wastes? YES NO X If yes, describe storage and disposition:
7.	Does this facility generate used oils? If yes, describe storage and disposition: Waste oils are picked-up by Waste Oil
4.	recloimer.
3.	Does this facility generate spent solvents ? If yes, describe storage and disposition: P: + <
	faint solvents disposed at permitted disposal Site.
) .	Does this facility utilize sumps in the management of hazardous waste? If yes, describe use: YES NO X

^{***} An entry in this column indicates corrective action/response is needed

360	cron b - Special Conditions (335.75)			
1.	If generator has received from or transported to a foreign entity any hazardous waste, has the appropriate notice been filed with the EPA Regional Administrator?	N/A_X	YES	_ NO _ *
2.	Was the waste manifested and signed by the foreign consignee?	N/A_X	YES_	_ NO _
3.	Has confirmation of waste transport out of the country been received by the generator?		YES	_ <u>-</u>
Sec	tion C - Recordkeeping and Reporting (335.9, .10, .13, .7072)			-
.I.	Dues the generator maintain the following records and reports (if applicable) for the necessary three years?			
	 a. Shipping Manifests b. Monthly off-site shipment summaries c. Monthly on-site land disposal summaries d. Tests and analyses e. Annual reports 	N/A N/A <u>X</u> N/A	YES X YES X YES X YES X	- 00 - 00 - 00
2.	Have any spills, unauthorized discharges or threats of such discharges occurred?	YES	NO_X	-
	If yes, have they been reported?(335.4, .453)	N/A X	YES	NO
	Have they been remedied?(335.453) Explain.	N/A X	YES	NO
			•	
	+++ DO NOT COMPLETE SECTION $\underline{\mathbf{D}}$ IF GENERATOR DISPOSES OF WASTES	ON-SITE	ONLY++	+ ,
Sec	tion D - Pretransport and Manifest Requirements (335.61-68)			
1.	Identify primary off-site disposal facilities:			
	Love Mountain - Rtz Box 150A - Wayno Chem. Waste Management - Lake	Ko,	01	
2	Are off-site disposal facilities permitted		~1@>!	
← •	or operating under interim status standards?	N/A	YES X	N()
3.	Are TWC manifests properly completed?	N/A	YES	NO
4.	Has generator submitted exception reports to TWC for any original (white) copies of manifests <u>not</u> received?	N/A <u>X</u>	YES	. NO

++++ STOP HERE IF FACILITY QUALIFIES AS A SMALL QUANTITY GENERATOR ++++

Section D - (Continued)

5. Do containers used to hold waste(s) meet DOT packaging requirements (49 CFR Parts 173, 178, 179) before being offered for transport (if circumstances observed)?

N/A X YES NO

6. Does generator label and mark each package in accordance with 49 CFR Part 172 (if circumstances observed)?

N/A X YES NO

7. Is each container of 110 gallons or less marked with the required hazardous waste warning label?

N/A___YES X NÕ

8. Does generator placard off-site waste shipments in accordance with DOT regulations (49 CFR Part 172, Subpart F)?

N/A___YESX NO

Section E - Accumulation Time Exemption (335.69)

Note: A facility may accumulate and store hazardous wastes in containers or tanks for up to 90 days without a permit.

1. Is each container used to temporarily store waste before transport clearly dated?

N/A_ YES X NU

2. Are containers and/or tanks labeled as "Hazardous Waste" while accumulating waste on site?

N/A__YES X NO

Note: Attach a Container Storage Area Checklist for each container storage area.

Note: Attach a Tanks Checklist for each tank or each group of similar tanks.

Note: If this is a T/S/D Facility, proceed to General Facilities Checklist.

GENERAL FACILITIES CHECKLIST

Section A - General Site Information

- 1. Are any solid waste facilities located in the 100-year floodplain ? YES NO \times If yes, explain.
- 2. Describe land use within one mile Industrial Commercial, residential
- 3. Are there any closed or abandoned solid waste facilities gress YES NO X

 If yes, explain. Closure in Crogress
- 4. Has proof of **deed recordation** of all on-site solid waste disposal facilities been provided to the agency?

 If no, explain.

N/A × YES NO

5. Are all non-RCRA solid waste facilities compliant with the **general prohibitions** contained in TAC 335.4? If no, explain.

N/A YES X NO

- 6. An up-to-date Plant Map showing site orientation, waste management facilities, and major topographic features should be attached. Each facility checklist should have a Facility Map or Sketch attached.
- +++ Note: For all non-RCRA facilities, do not complete the remainder of this General +++
 Facilities Checklist. Proceed to the individual facility checklists.

Section B - Personnel Training (335.117)

 Owner/operator maintains proper personnel training records at the facility.

N/A YES X NO

- Personnel training records include:
 - a. Job title and written job description of each position.

N/A YES X NO

b. Description of type and amount of training.

N/A YES X NO

c. Records of training given to facility personnel.

N/A YES X NO

 Personnel training records are maintained for the appropriate length of time.

N/A YES X NO

4. Training program is adequate for response to emergencies.

N/A YES X NO

^{***} An entry in this column indicates corrective action/response is needed.

Section C - Preparedness and Prevention (335,131-137)

1.	environment in the comments sheet.		
2.	Facility is equipped with:		**
	a. Internal communication or alarm system within easy access.	N/A_	YES X NO
	b. Telephone or two-way radio to call emergency response personnel.	N/A	YES X NO
	c. Portable fire extinguishers, fire control equipment, spill control equipment and decontamination equipment are tested regularly to assure proper operation.	N/A	YES X NO
	d. Available water supply volume and pressure are adequate for hoses, sprinklers or water spray system.	N/A	YES X NO
3.	Aisle space is sufficient to allow unobstructed movement of personnel and equipment.	N/A_	YES X NO
4.	Owner/operator has attempted to make arrangements with the local response authorities to familiarize them with the layout of the facility, properties of hazardous wastes handled and	1 .	
:	associated hazards, work locations of facility personnel, entrances to facility roads and possible evacuation routes.	N/A	YES X NO
5.	In the event that more than one law enforcement or fire department might respond, a primary authority has been designated.	N/A	YES X NO
6.	Owner/operatorhas attempted to reach agreements with State emergency response teams, emergency response contractors and equipment suppliers.	N/A	YES X NO
7.	Owner/operator has attempted to make arrangements with local hospitals to familiarize them with the properties of the hazardous wastes handled and the types of injuries that could result from fires, explosions or releases from the facility.	N/A	YES_Y NO
8.	State or local authorities have entered into the necessary arrangements.	N/A	Yes X no
Con	tion D - Contingency Plan and Emergency Presidency (225 151 157)		
Sec	tion D - Contingency Plan and Emergency Procedures (335.151157)		
1.	A contingency plan is maintained at the facility.	N/A	YES X NO_
2.	The contingency plan is: a. a revised SPCC plan X b. a separate document c. adequate to meet emergency		
	procedures requirements.	N/A_	YES X NO
3.	Emergency coordinator is on site or on call at all times.	N/A	YES X NO

*** STOP HERE IF FACILITY ACCUMULATES WASTE ON SITE FOR LESS THAN 90 DAYS ***

TWC Solid Waste Inpection Report (TAC 335.241-247)

CONTAINER STORAGE AREA CHECKLIST

TWC Reg. No. 30347 Reg. Facility No. MA Class of Wastes (

NOTE: TAC rules 335.241-247 apply to interim status and 90-Day Storage exempt facilities.

•				***
1.	Are containers in good condition?		YES X NO)
2.	Are the containers compatible with the wastes being stored?		YES X NO)
3.	Are containers kept closed and stored in a safe manner?		YES X NO)
4.	Are containers inspected weekly for leakage and deterioration?		YES X NO)
5.	Are containers holding ignitable or reactive wastes kept at least 15 meters (50 ft.) from the facility's property line?	N/A_	YES X NO)
6.	Are containers holding incompatible wastes separated by a physical barrier or sufficient distance?	N/A_	YES X NO)
7.	Does the storage area have containment protection?	YES X	NO	
8.	Describe the Container Storage Area using comments sheet and/or p	Photos:		
	のでは、他のでは、日本			
	THE PERSONNEL OF THE PE		THE STATE OF THE S	******
	大学,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的,我们就是我们的的,我们就是我们的的,我们就是我们的时候,我们就是我们的时候,我们就是我们的	riikka in kanan kana Kanan kanan ka	THE THE STATE OF T	****

An entry in this column indicates corrective action/response is needed.

TWC Solid Waste Inspection Report (40 CFR Part 264 Subpart G; Part 265 Subpart G) CLOSURE-In-PROGRESS CHECKLIST

TWC Reg. No. 30347 Reg. Facility No. N/4

	e: To be completed if company is closing a hazardous wast		ement fa	cility.	
1.	Type of facility: Puto Monufactur	ev			
2.	Type of closure: Full-Facility Closure X Partial Clo	sure			
3.	Has closure plan received TWC approval or final modificat Date of approval: 12/4/85	ion?	N/A	yes <u>X</u>	*** NO
4.	If this is a partial closure, is this the last facility to be closed requiring RCRA ground water monitoring?	N/A X	YES	NO	,
5.	If this is an interim status facility:				
	a. Has an approved public notice of closure been published:	ed?	N/A	YES_X	NO
	b. Is a public hearing required? Date of hearing:	N/A	YES	NO_X	
6.	Has on-site closure work started? Date work initiated: 9/36/85	N/A	YES_X	NO	
7.	Is on-site closure work proceeding according to the work schedule in the approved closure plan?	N/A	YES X	NO	
8.	Have 180 days elapsed since TWC approval of the closure plan?	N/A	yes_X	NO	
	a. If yes, has the Executive Director approved a closure period of greater than 180 days?	N/A	YES_X	NO	
9.	Was District Office notified of sampling event when complete removal of land-disposal facility was to have been accomplished?	N/A	yes_×	NO	
10.	Were TWC samples taken during the inspection to verify completion of closure ?	N/A	YES	NO_X	·
	NOTE: List chain-of-custody tag numbers in comments secti	on.	·		
11.	Is the closure completed? See Comment YES NO X				
12.	Has the closure certification been submitted to TWC? Attach copy or explain.	N/A T3.	YES	NO_X	

^{***} An entry in this column indicates corrective/response is needed. Page 1 of 1 $\,$

•			TWC Reg. No. 30347
			Checklist Closure 1
	Cont	ification	Progres
Section 11.12	21 Closure	of discourse s	tarage avec
-	•	-	
Mas	20 pmilled	by consult	ing engineer
JUM	<u>e 28, 1985.</u>	Final Clos	ure of surface
•		and the second s	on or before
121	124/85 C	rusulting ex	gineer to
Sex	1d closure	certification	v to central
o f	fice Janu	12-y 1986.	
Section		7	
Deceron			
	andandari di salahan dan kandan dan dan dan dan dan dan dan dan da		
		landet Gandarfürfür der der dan der	
Section			
	• .		
			and the second
Section			
			rgangangangangangangangangangangangangang
		•	

Reg. Mo. 30347

INDUSTRIAL SOLID WASTE

Compliance Monitoring Inspection Report

	Surface Impoundments Checkinst (IAC 335.28	81288)	Class	of Waste (H
		•		***
1.	Are surface impoundments presently used to treat or store waste?	Yes	No_X	
	a. If yes, inspect the impoundments.			
**2.	Does the impoundment appear to maintain at least 2 feet (60 cm) of freeboard?		Yes	No
**3.	Check for evidence of overtopping of the dike. Is the facility compliant?		Yes	No
**4.	Check for evidence of seepage. Is the facility compliant?		Yes	No
5.	Containment system for dyked or dammed impoundments (335.283)		٠.	
*	*a. Does the earthen dike have a protective cover (e.g. grass, shale, rock) to minimize wind and water erosion?		Yes	No
6.	What wastes are treated or stored in the impoundment?	Unde.	v el	osure.
7.	Are waste analyses and trial tests conducted on these wastes (chemical processing of a different			•
	hazardous waste or method only)?	N/A_X	Yes	No
	a. If not, does the owner/operator have written documented information on similar treatment of similar wastes?		Yes	No
8.	Is this information retained in the operating record?	N/A_	Yes	No
9.	Is the impoundment inspected daily to check freeboard level?		Yes	No
10.	Is the impoundment, dikes and vegetation	i		

TDWRPage 3 of 30 of Group II
*(Changed 9/10/82, response format realigned, other minor changes)
**See Note on Page 1

***This response column indicates noncompliance.

Does the impoundment have a liner?	Yes	No	N
a. If Yes, what type?		·· , · , · · · · · · · · · · · · · · ·	
			······································
b. If Yes, does it have a leachate collection and removal system?	Yes	No	
Is there evidence of ignitable or reactive wastes placed in the impoundment?	Yes	No	
	a)];		
b. If Yes, is the impoundment used solely for emergencies?		Yes	No
Is there evidence of incompatible wastes placed in the impoundment [if yes, review 335.118(b)]?	Yes	No	v - v
Are monitor wells required for this site? (Refer to Rule 335.191195 - Ground Water Monitoring)	Yes	No	
	ned		
prior to 11/19/81?	e.	Yes	No
NOTE 1: Attach Ground Water Monitoring Report if answ	er to qu	uestion 1	4 is yes.
designation(s). Also describe each impoundment's dime	nsions,	and capac	
removed and open-pit	Filk	ed ic	ие
	b. If Yes, does it have a leachate collection and removal system? Is there evidence of ignitable or reactive wastes placed in the impoundment? a. If Yes, explain in comments sheet [review 335.118() or b. If Yes, is the impoundment used solely for emergencies? Is there evidence of incompatible wastes placed in the impoundment [if yes, review 335.118(b)]? Are monitor wells required for this site? (Refer to Rule 335.191195 - Ground Water Monitoring) a. Has owner/operator installed, operated and maintain a ground water monitoring system (unless waived) prior to 11/19/81? NOTE 1: Attach Ground Water Monitoring Report if answer to the impoundment of	a. If Yes, what type? b. If Yes, does it have a leachate collection and removal system? Is there evidence of ignitable or reactive wastes placed in the impoundment? a. If Yes, explain in comments sheet [review 335.118(a)]; or b. If Yes, is the impoundment used solely for emergencies? Is there evidence of incompatible wastes placed in the impoundment [if yes, review 335.118(b)]? Are monitor wells required for this site? (Refer to Rule 335.191195 - Ground Water Monitoring) a. Has owner/operator installed, operated and maintained a ground water monitoring system (unless waived) prior to 11/19/81? NOTE 1: Attach Ground Water Monitoring Report if answer to question(s) also describe each impoundment's dimensions (acre-feet):	b. If Yes, does it have a leachate collection and removal system? Is there evidence of ignitable or reactive wastes placed in the impoundment? a. If Yes, explain in comments sheet [review 335.118(a)]; or b. If Yes, is the impoundment used solely for emergencies? Is there evidence of incompatible wastes placed in the impoundment [if yes, review 335.118(b)]? Are monitor wells required for this site? (Refer to Rule 335.191195 - Ground Water Monitoring) a. Has owner/operator installed, operated and maintained a ground water monitoring system (unless waived) prior to 11/19/81? NOTE 1: Attach Ground Water Monitoring Report if answer to question 1 Describe impoundment(s) site and indicate plat map, location(s) and designation(s). Also describe each impoundment's dimensions and capacity.

NOTE 2: If the answer is No for Nos. 5a, 7a, 8, 9, 10 and No. 14 after

11/19/81, explain in comments sheet.

TDWR-Page 4 of 30 of Group II
*(Changed 9/10/82, response formal realigned)
**See Note on Page 1
***See Note Page 3

HEIRC/TE

36773	COD	7. 3.7	_	***
ME	TOR	'ATV	ועו	JM

October 28, 2003 DATE: SUBJECT: RCRA Compliance Inspection Mike Michaud, Chief FROM: Surveillance Section (6EN-AS) Sam Tates, Chief TO: Texas Section (6EN-HT) The attached RCRA investigation report has been prepared and reviewed by Compliance Assurance and Enforcement Division This report is being forwarded to you for your personnel. information and action. Inspection dates: October 15-16, 2003 EPA ID Nos. TXD008018004 Name of Facility: General Motors Facility Mailing Address: 2525 East Abram Street Arlington, Texas 76010 Facility Owner: General Motors Telephone: 817/652-2452 Description of Facility: Automobile Assembly Plant Type of Ownership: Federal State County Municipal X Private Did facility request a copy of the report: X Yes ___ No HW Activities: X Generator Transporter Treatment ____Disposal <u>X</u>Storage (<90 day) Type of Inspection: X Lead __Overview _X_CEI __PSMS Commitment __CME __Land Ban __ MM BIF INSPECTION PARTICIPANTS: (name and phone number) EPA Inspector(s): Ken Cooper (214) 665-8047 TCEQ Inspectors: None Facility Representative(s): Michael Bobo - Env. Engineer, Patrick McGrew, Bob Murday, Wayne Ylen (817) 652-2452 Comments: Please see the attached RCRA report for information about this investigation. Inspector Signature: New Gor Date: 10-28-03

Reviewer Signature: Date: 10-28-03

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 6 - SURVEILLANCE SECTION RCRA INSPECTION REPORT

INSPECTION DATE:

October 15&16, 2003

FACILITY NAME:

General Motors Assembly Plant

PARENT COMPANY:

General Motors

PHYSICAL ADDRESS:

2525 East Abram Street

Arlington, Texas

MAILING ADDRESS:

General Motors

2525 East Abram Street Arlington, Texas 76010

TYPE OF INDUSTRY:

SIC Code 3711

EPA ID NUMBER :

TXD008018004

COMPANY PERSONNEL:

Name	Title	Phone
Michael Bobo	Env. Engineer	817/652-2452
Patrick McGrew	Waste Management	817/652-2452
Bob Murday	Director - Mfg. Engineering	817/652-2322
Wayne Ylen	Plant Engineering Manager	817/652-2358

EPA INSPECTOR/FEDERAL PERSONNEL:

Name	Title	Agency	Phone
Ken Cooper	Env Scientist	EPA - Region 6	214/665-8047

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY PERSONNEL

None	•	 	

INTRODUCTION

On October 15 and 16, 2003, a RCRA compliance evaluation inspection was conducted at the General Motors Vehicle Assembly Plant (GM) in Arlington, Texas, by EPA Inspector - Ken Cooper. According to GM representatives, the GM - Arlington plant, which

began operation in 1954, is responsible for the final assembly of several different models of sport utility vehicles (SUVs), including the Chevrolet Suburban and Tahoe, GMC Yukon, Yukon XL, and Cadillac Escalade. GM manufactures about 400 vehicles per shift at their current production rate. Approximately 3,000 employees work at the Arlington, Texas vehicle assembly facility. GM is registered as a large quantity hazardous waste generator with RCRA regulated waste tanks and container storage areas. GM also has multiple hazardous waste satellite accumulation areas scattered throughout the assembly plant.

FACILITY INSPECTION AND OBSERVATIONS

I arrived at the GM - Arlington, Texas facility on the morning of October 15, 2003, and contacted Michael Bobo and Bob Murday of GM, and Patrick McGrew of Waste Management, the company that provides environmental support to GM. During the opening conference, I presented my EPA credentials and informed the facility representatives that EPA had scheduled the GM- Arlington Plant for a hazardous waste compliance evaluation investigation. We briefly discussed the scope of the inspection, including the RCRA related topics that would be covered and the areas of the facility that would be inspected. I requested copies of GM's Annual Waste Summary and Notice of Registration, which are included as Attachments #1 and #2. Mr. Bobo then provided a brief description of the company's vehicle assembly process. According to Michael Bobo, the majority of the SUV preparation, assembly, and painting work is performed at the Arlington plant, even though, motors, transmissions, and frames are shipped in from other GM locations. There are actually two parts of the assembly line at the GM plant. One part of the assembly line is for the chassis portion of the vehicle. This portion of the assembly line is where the frame, wheels, motor, transmission, and other components are attached to the chassis of the vehicle. The other part of the assembly line is for the body portion of the vehicle. This part of the assembly line is where the body component panels are welded together to form the visible structure of the vehicle. After the basic body structure is assembled, the vehicle body is first treated using a phosphate conversion process and later treated using an electrophoretic deposition prime process (ELPO). These two steps, which prepare the vehicle bodies for the paint shop, generate two different types of wastes. Wastewater from the phosphate conversion process is pumped to the facility's wastewater treatment area where it is treated to remove metals (see Attachment A for a diagram of the wastewater treatment process). The resulting wastewater treatment sludge from the phosphate conversion process is a listed waste (F019). The F019 sludge is the second largest

quantity hazardous waste stream generated at the GM facility. Some hazardous waste (D008) is also generated from the ELPO process, which previously used primer products containing lead. Although company has stopped using lead containing products, the ELPO filters and debris from the process still have to be handled as hazardous waste, due to residual lead levels in the system (see Attachment ELPO -1 for a waste profile sheet). After the vehicle bodies leave the ELPO process, they enter the paint shop building. At the paint shop, the vehicle bodies first enter the "Prime Booth" where additional primers are sprayed onto the surfaces of the vehicles to prepare them for painting. After the primer is applied and dried, the vehicles are ready for the The paint operation consists of a two part process with a base coat that contains color pigments and a clear-coat which is applied over the base coat to provide durability, luster, and protection. The automated painting operations are routinely performed by robotic arms inside four large paint booths, designated "A, B, C, and Prime" (see Attachment B - Paint Shop diagram). Painting and primer operations are the sources of the majority of hazardous wastes generated at the GM - Arlington facility. These wastes are generically called "purge solvents or purge thinners". Purge solvent wastes are generated from multiple locations in the painting operations booths where solvents are used to clean and purge paint/primer lines, spray guns (bells), and paint nozzles. Purge solvent is typically used to clean paint guns and lines between color changes and to periodically clean the clear-coat and primer lines and spray apparatus. During purging/cleaning activities, each robotic arm discharges purge solvent into a funnel like device inside the paint booth which drains into purge pots which are located adjacent to the paint booths (purge pots are also shown on Attachment B). The paint shop diagram shows four purge pots associated with each of the A, B, and C paint booths and two purge pots at the Prime paint booth. A photograph of a purge pot is included with this report (GM requested that photographs taken during this inspection not be released to the public or to another company). Purge solvent from the purge pots is pumped into a purge solvent piping system that carries the used solvent to an outdoor 12,000 gallon purge solvent tank. The piping carrying the purge solvent to the purge solvent tank is double walled except for the portion between the purge pot and the ceiling (see Attachment C for a diagram of a purge pot). The purge solvent tank is a registered hazardous waste tank with secondary containment. Over-spray from the painting process is captured by a water curtain below the conveyor system. The water flows into water traps on the lower level of the paint shop building. The water and paint mixture then goes through a "detactification process" that makes the paint float on top of

the water, so it can be readily removed. The paint is then skimmed off the surface of the water and the resulting nonhazardous waste paint float is collected in rolloff boxes and is shipped off-site for disposal as Class 1 industrial waste. After the paint float is removed from the water, the water is returned to the water curtain system for reuse. The air from the paint booths is routed through large on-site thermal oxidizers, which destroy the organic components from the painting process, before it is released to the atmosphere.

According to Michael Bobo, GM does not consider purge solvent a waste until it reaches the company's waste purge solvent tank. Reportedly, it is GM's position that the purge solvent is still being used for its solvent properties (to keep the lines clean) while it is in the piping system between the paint booths and the waste purge solvent tank. Mr. Bobo provided a legal brief describing GM's position which was filed in the U.S. Court of Appeals for the District of Columbia in August 2003 (see Attachment #3 for a copy). He also provided a copy of the letter he sent to TNRCC where he stated his opinion about the reuse of used purge solvent, which is similar to GM's position (see Attachment #4 for a copy of his letter). Also included, is a copy of a return letter from TNRCC that appears to offer no objections to GM position (see Attachment #5).

After Michael Bobo stated GM's position, I informed the GM representative that EPA has a different opinion about used purge solvent, which is paraphrased as follows. EPA has determined that the used purge solvent is a waste since the used purge solvent is physically removed (i.e., piped) from the spray painting applicator units and will no longer be used to clean the spray paint applicators. The wastes (used purge solvent and waste paint) that have been removed from the spray paint application unit are then conveyed through the purge recovery system to the waste purge solvent storage tank. All components of the purge recovery system (e.g., flow equalization tanks, recirculation tanks, associated piping, pumps, valves, flanges, connectors, and other equipment), are subject to the hazardous waste requirements because the purge recovery system's sole function is to convey the waste from the spray paint applicator to the hazardous waste storage tank. Therefore, since GM stores purge solvents in a hazardous waste tank, the facility would be required to comply with 40 CFR Part 265, Subparts J, BB, and CC. Subparts BB and CC requirements apply to waste handling equipment between the point of generation of the hazardous waste and the waste purge solvent tank. At GM's - Arlington facility, the waste generation point also appears to be where the purge solvent is discharged from the end of the spray paint applicators.

Subpart BB requirements apply to equipment that contains or contacts hazardous wastes with organic concentrations of at least ten percent by weight.

Information provided by GM for purge solvents, which was taken from product MSDS sheets and waste profile sheets, indicates that waste purge solvent has an organic concentration of at least ten percent by weight (see Attachment #6 for a copy of the company's Waste Analysis Plan which contains information about wastes & waste characterization test methods).

After our initial discussions, we talked about all the hazardous waste storage and handling areas at the Arlington facility. According to the environmental representatives, GM has five hazardous waste container storage areas, two hazardous waste storage tanks, a wastewater treatment system that generates F019 sludge, and approximately 17 satellite accumulation areas. At the time of the inspection, the GM - Arlington plant was operating as a less than 90 day hazardous waste storage facility. The remainder of the morning was spent checking contingency plans, waste analysis plans, and other RCRA required records. The contingency plan was in the process of being updated and rewritten to reflect current personnel and policy. The waste analysis plan did not directly reference Subpart CC testing methods but GM did have enough analytical information to make determinations based on MSDS and process knowledge information.

During the afternoon, I took a tour of the plant with Michael Bobo and Patrick McGrew to inspect the hazardous waste tanks, container storage areas, wastewater treatment area, and different areas of the manufacturing process. At the time of the inspection, the two hazardous waste tanks were properly labeled and appeared to be well maintained (see attached photo Although the waste purge solvent tank was in use, the waste paint tank was empty and, reportedly, is rarely used by GM (see Attachment # 7 for a copy of the daily waste tank inspection The external piping and tank components were individually labeled to distinguish them for leak detection monitoring as required by Subpart BB (see Attachment D for a diagram of the hazardous waste tanks and associated piping and components). According to Michael Bobo, GM has been monitoring the piping and components from the purge pots to the truck loading area on a monthly basis since he began working for GM in mid-2000. Prior to that time, the company had not been performing leak detection monitoring on the all the various components in the waste handling system (see Attachment #8 for a copy of a "Audit Self Disclosure Letter" which was sent to the TNRCC shortly after

Michael Bobo began working at the Arlington Plant). Reportedly, the company decided to begin performing Subpart BB and CC monitoring on all the components in contact with hazardous wastes even though they did not believe that the solvent wastes should be regulated prior to the hazardous waste tanks (see Attachment #9 for a copy of recent monthly leak monitoring records). The monitoring records also include additional leak monitoring that is performed around the paint booths and mix We continued the field investigation by inspecting the main hazardous waste container storage area, wastewater treatment area, and mix room. The main container storage area held several containers of hazardous wastes that had been recently generated. All the waste containers in the main container storage area were stored and labeled as required. No leaks, spills, or areas of concern were observed in the area. paint mix room, one waste tote and one drum for contaminated rags/refuse were observed inside the mix room. Both waste containers in the mix room were closed and labeled as required. At the wastewater treatment area, one hazardous waste container (rolloff box) was observed which was approximately 75 percent full of F019 sludge. No hazardous waste labels were observed on the rolloff box as we walked around all four sides of the container. After pointing out the missing labels to the company representatives, hazardous waste labels were applied to the container. Before we left the area, I also mentioned the fact that the top of the rolloff box was not closed. According to Michael Bobo, the top of the rolloff box is opened when a new waste container is placed under the filer press sludge loading chute, so dewatered sludge can fall directly into the container. Although the top of the rolloff box stays open until the container is full of sludge, the rolloff box is kept inside a closed room to limit access to the container. After the rolloff box is filled with sludge, the top of the container is closed prior to shipping. Sampling records indicated that there was very little organic material in this sludge. The sludge was mostly composed of lime and treatment chemicals used to remove metals from the wastewater. Later in the plant tour, we observed several satellite accumulation areas in the main mix room, fluid fill area, and the adhesives/sealers area. All of the containers observed in the satellite accumulation areas were closed and labeled properly. At the end of the day, we returned to the environmental offices and reviewed additional records before I left the facility.

I returned to the GM plant on the morning of October 16, 2003 to continue the RCRA investigation. I concentrated on inspection records, waste manifest shipment records, waste

analysis records, and documentation records which indicated that GM was operating as a <90 day storage facility. The records appeared to be well organized and readily available. After finishing up the RCRA records review portion of the inspection, we returned to the hazardous waste tanks area and the paint shop in order to photograph tanks and equipment in those areas of the plant. Shortly before noon, we contacted GM's front office to arrange an exit interview, so we could discuss the RCRA inspection findings.

EXIT INTERVIEW AND COMPLIANCE ASSISTANCE


After completing the RCRA compliance evaluation inspection, I held a final exit interview with Wayne Ylen, Michael Bobo, and Patrick McGrew of GM. During the exit interview, I discussed my inspection findings, areas of concern, and recommendations. I informed the GM representatives that I discovered the following areas of concern during the RCRA inspection.

- 1. GM had failed to label the hazardous waste container (rolloff box) at the wastewater treatment area which containing F019 waste, as required by 40 C.F.R. 262.34 (a)(3). Shortly after the container was inspected, GM attached new hazardous waste labels to the rolloff box.
- 2. GM did not close the top of the hazardous waste rolloff box containing wastewater treatment sludge (F019 waste) during the loading process, as required by 40 C.F.R. 265.173. According to Michael Bobo, "in order to mitigate the situation during loading, the rolloff box containing wet sludge is kept inside a closed room to ensure containment and prevent access". In addition, the outside of the containment room was marked with a hazardous waste sign.
- 3. GM failed to perform all required leak detection monitoring on the piping and components (valves, pumps, tanks, and lines) subject to Subpart BB standards prior to June 2000, as required by 40 C.F.R. 265.1052-1058. See the attached Audit Self Disclosure Letter from GM to TNRCC included as Attachment #8. After the Self Disclosure Letter was sent to TNRCC, GM evaluated their waste handling systems and began performing leak detection monitoring on the regulated components, even though, they do not agree with EPA's previously discussed position "that the point of generation for waste purge solvents is at the point where the solvent/paints exit the paint applicators". GM's Petition for Review Brief on this issue is included as Attachment #3.

4. The section of the purge solvent pipeline between the purge pots and the ceiling is only single walled (the piping appears to be double walled from the ceiling to the waste purge solvent tank). 40 C.F.R. 265.193 (f) requires secondary containment for ancillary equipment (piping). GM stated that the single walled piping was inside the paint shop building and that any spill that might occur from this piping would be contained by the building and the sumps on the lower floor of the building, if a large spill did occur. The secondary containment areas are reportedly inspected on a daily basis (see Attachment #7).

Recommendation: I recommended that GM add language to improve their Waste Analysis Plan by defining sampling and analytical methods that should be used to properly identify and quantify the VOC content of hazardous wastes subject to Subpart BB and CC regulations.

Ken Cooper




UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Official Photograph Log

Photo # 1

Photographer: Ken Cooper	Date: 10-16-03	Time: 1220 Hrs
City/County: Arlington/Tarra	nt	State: TX
Location: General Motors Ar	lington Assembly Plant	
Subject: Hazardous waste tan on the right - empty)	ks (Waste Purge Solvent	Tank on the left and Waste Paint Tank



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Official Photograph Log

Photo # 2

Photographer: Ken Cooper	Date: 10-16-03	Time: 1228 Hrs
City/County: Arlington/Tarra	nt	State: TX
Location: General Motors Ar	lington Assembly Plant	
Subject: Purge pot on right &	switch box.	

NAChnert #2

9 ÍHWO20

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

This registration does not constitute authorization of any waste management activities or facilites listed below. The registration reflects hazardous and/or industrial waste generation and management activities for which the registrant has provided notification. Requirements for solid waste management are provided by Texas Administrative code section 335 of the rules of the Texas Commission on Environmental Quality (TCEQ). Changes or additions to waste management methods referred to in this notice require written notification to the TCEQ.

Solid Waste Registration Number: 30347 EPA Id: TXD008018004

The Solid Waste Registration Number provides access to computerized and filed information pertaining to your operation. Please refer to that number in any correspondence.

Company Name: General Motors Corporation

Site Name: Arlington Plant

Site Location: 2525 E Abram Street, Arlington, TX

Contact: BOBO, MICHAEL

County:

Region:

Initial Registration Date: 04/12/1976

Reporting Method:

Last Amendment Date: 09/18/2003 Last Date NOR Computer update:

Phone: 817-652-2452 Title: Environmental Engineer

Mailing Address: 2525 E Abram Street

Arlington, TX 76010-

Site Street Address:

2525 E Abram Street

Arlington, TX 76010-

Registration Status: Active

Registration Type: Generator

Generator Type: Industrial Hazardous Waste Generation Status: Large Quantity Generator

NAICS Code: 336211 Motor Vehicle Body Manufacturing

Handler Status:

Operator Information

Name:

Phone: Address: Owner Information

General Motors Corporation Name:

Phone: 817-652-2452

2525 E Abram Street Address:

Arlington, TX, 76010-

09/18/2003 - the next unassigned sequence number for WASTES is 9038 and the next unassigned sequence number for UNITS is 014.

Section 335, Chapter 31 of the Texas Adminstrative Code specifies the notification, record keeping, manifesting and reporting requirements for hazardous and industrial solid wastes.

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

30347 General Motors Corporation

**** WASTE INFORMATION Radio-TCEQ Audit Texas Waste Status Date of Managed Onsite/ active Complete Waste Class Status Offsite Code

***** Active Wastes *****

06/23/94 On/Off 10095191 1 Description from Generator: Paint sludge; from our paint booths; painting of automobiles generates paint sludge and debris, such as, sludge filters, rags contaminated with paint sludge; nonhazardous.

150110 Refers to waste code (6):

Texas Form Code: 519 Other inorganic sludges Current Management Units: Contain Store Area 003 008 Misc Store Container

1 Onsite-process/service * Origin Codes: Company's Internal Code(s): Paint sludge and debris

06/23/94 On/Off

Description from Generator: Plastic drum liners; removal of liners from 55 gallon drums and 5 gallon pails

Refers to waste code (6): 179200

406 Empty fiber or plastic containers

Texas Form Code: Current Management Units:

Contain Store Area WWTP 009 003 Misc Store Container

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Drum Liners

10133081 1

RCRA empty crushed drums and plastic containers. 1992 Description from Generator:

308 Empty or crushed metal drums or containers Texas Form Code:

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

10143111 1 Act Ive 06/23/94 On/Off

Description from Generator: Asbestos and asbestos contaminated debris: removal of asbestos from plant equipment. protective clothing contaminated with asbestos, and asbestos contaminated debris

179390

Refers to waste code (6): Texas Form Code: 311 Asbestos solids and debris Contain Store Area Current Management Units: Misc Store Container 003

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Asbestos

Description from Generator: rubber tires/tires are scrapped due to punctures, flats,blemishes,etc./9/93; generated by plant production. Waste is recycled off site by Safe Tire Disposal for rubber

recycling. jds 10-2-00.

999 Plant Refuse Texas Form Code: Current Management Units: Misc Store Container

1 Onsite-process/service * Origin Codes:

Company's Internal Code(s): tires IHW020

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

09/23/03

30347 General Motors Corporation TCEQ Audit Waste Status Date of Managed Radio-Texas Complete Onsite/ active Waste Class Status Code Offsite ***** Active Wastes ***** ______ Active 10/04/01 On/Off 10282051 1

Description from Generator: Oily Water from mopping up Heavy Repair area
Texas Form Code: 205 Oil-water emulsion or mixture
Current Management Units: Contain Store Area 001
* Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): Mop Water

Active 10/11/00 On/Off No No 10294091 1 Description from Generator: Combines TNRCC#'s 10211191, 10223101, 10033101

Texas Form Code: 409 Other non-halogenated organic solids

Current Management Units: Misc Store Container 005

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Mixed Industrial Was

Description from Generator: Filters and sludge from zinc phosphating of automotive bodies as part of the

anti-corrosion process. 310 Spent solid filters or adsorbents (inorganic) Texas Form Code:

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Phosphate Filters/S1

Active 09/11/00 0ff No Description from Generator: Antifreeze from PM and vehicle filling operations. Recycling: Waste is recycled on site

as oil recovery per STEERS notification dated 11Aug2000. jc 296 Ethylene glycol based antifreeze

Texas Form Code:

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Antifreeze(Eth.Gly.)

Active 10/04/01 On/Off No 10373101 1

Description from Generator: Paint Filters from changeout.

Texas Form Code: 310 Spent solid filters or adsorbents (inorganic)
Current Management Units: Misc Store Container 003 008

* Origin Codes: 1 Onsite-process/service

Active 06/23/94 On/Off Description from Generator: Spent demineralizer resin beads; beads used in powerhouse deionizer to make D.I. water;

removes mineral from city water

Refers to waste code (6): 270131

Texas Form Code: 319 Other waste inorganic solids

Current Management Units: Contain Store Area

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Resin beads

IHW020

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration

Industrial and Hazardous Waste

30347 General Motors Corporation Texas Waste Status Date of Waste Class Status

Managed Onsite/ Offsite

Radio-Onsite/ active

TCEQ Audit Complete

Code ***** Active Wastes *****

20059992 2 Active 09/01/95 0n/0ff

Description from Generator: Plant production refuse; plant trash, such as cardboard, packaging materials, food waste,

glass, foil, plastics.
Texas Form Code: 999 Plant Refuse
Current Management Units: Misc Store Container 003
Waste Compactor 011
* Origin Codes: 1 Onsite-process/service

20073192 2 Active 09/11/00 Off No No

Description from Generator: Used and obsolete electrical equipment and computer parts such as monitors. Non-PCB.

Texas Form Code: 319 Other waste inorganic solids

Texas form code: 5.5 5.10.

Current Management Units: None
 * Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): Electrical/Computer

Active 12/20/00 Off No Yes

Description from Generator: Cafeteria waste grease
Texas Form Code: 999 Plant Refuse
Current Management Units: None
* Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): Kitchen Grease

Active 12/20/00 Off No No

Description from Generator: Recyclable used office paper and newsprint
Texas Form Code: 999 Plant Refuse

Current Management Units: None

* Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): Mixed Office Paper

20173192 2 Active 01/29/01 On/Off No No

Description from Generator: Gauze, bandages, syringes, needles, blood contaminated materials, obsolete medical materials

Texas Form Code: 319 Other waste inorganic solids
Current Management Units: Misc Store Container 004

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Medical Waste

Page: Date:

Texas

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration

Industrial and Hazardous Waste

Radio-TCEQ Audit active Complete

Waste Status Date of Waste Class Offsite Code ***** Active Wastes *****

30347 General Motors Corporation

Active 01/27/94 0n/0ff No 9001211H H Description from Generator: Purging of paint equipment with solvent. New analytical shows presence of MEK in used

product

Refers to waste code (6): Texas Form Code: 916600

Status

211 Paint thinner or petroleum distillates W211 Paint thinner or petroleum distillates EPA Form Code:

D001 D035 EPA Hazardous Waste Numbers:

Current Management Units: Contain Store Area 002 007 Tank (Surface)

* Origin Codes: 1 Onsite-process/service * Source Codes: GO6 Painting and coating

* Measurement Points: * NAICS Code: 1 Before mixing

336211 Motor Vehicle Body Manufacturing

Managed

Onsite/

Company's Internal Code(s): Purge thinner

9002211H H Active 01/27/94 On/Off No No No Description from Generator: Waste paint, solvents, gasoline from assembly and painting operations not currently

managed in tanks

Refers to waste code (6): 916940

Texas Form Code: 211 Paint thinner or petroleum distillates EPA Form Code: W211 Paint thinner or petroleum distillates DO01 D018 D035 F003 F005

EPA Hazardous Waste Numbers: Current Management Units:

Contain Store Area Tank (Surface) 001 013 007

* Origin Codes: 1 Onsite-process/service * Source Codes: GO6 Painting and coating

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing

On/Off Description from Generator: Hazardous Rags, Sealers and Derbris

Refers to waste code (6): 980270

Texas Form Code: 210 Adhesives or epoxies

EPA Form Code: W210 Reactive or polymerizable organic liquids and adhe

EPA Hazardous Waste Numbers: DO01 F005

Current Management Units: Tank Contain Store Area 001 013

* Origin Codes: 1 Onsite-process/service

* Source Codes: G13 Cleaining out process equipment
* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing Company's Internal Code(s): Sealers & Adhesives

Page: Date:

G11 Discarding off-specification or out-of-date chemic

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY Notice of Registration

Page:

Date:

09/23/03

Industrial and Hazardous Waste

30347 General Motors Corporation TCEQ Audit Radio-Status Date of Managed Texas Waste Complete Status Onsite/ active Waste Class Offsite Code ***** Active Wastes ****** On/Off 06/23/94 9009310H H Active Description from Generator: ELPO Filters and Debris Containenated with lead. 973340 Refers to waste code (6): 310 Spent solid filters or adsorbents (inorganic) Texas Form Code: W310 Filters, solid adsorbents, ion exchange resins and EPA Form Code: EPA Hazardous Waste Numbers: D008 Current Management Units: Contain Store Area Misc Store Container 1 Onsite-process/service 2 Spill clean-up * Origin Codes: G15 Process equipment change-out or discontinuation of G16 Oil changes and filter or battery replacement * Source Codes: 1 Before mixing Measurement Points: * NAICS Code: 336211 Motor Vehicle Body Manufacturing Lead contaminated filters & debris Company's Internal Code(s): 9031306H H Active Description from Generator: Wastewater treatment filter cake from the process of treating our plant process water, Start 7-24-00 Material to be F019 due to using Aluminum in theBody. The chemical compostion of the waste should not change. Will look into delisting. 306 "Dry" lime or metal hydroxide solids not "fixed" Texas Form Code: W501 Lime and/or metal hydroxide sludges and solids wit EPA Form Code: Current Management Units: WWTP 009* Origin Codes: 1 Onsite-process/service G23 Wastewater treatment (sludge, filter cake, etc.) * Source Codes: * Measurement Points: 1 Before mixing * NAICS Code: 336211 Motor Vehicle Body Manufacturing Company's Internal Code(s): WWT SLUDGE FO19 10/04/01 9034101H H Wastewater from Elpo Phosphate area, treated on site in WWT plant Description from Generator: 101 Aqueous waste with low solvents W101 Very dilute aqueous waste containg more than 99% w Texas Form Code: EPA Form Code: EPA Hazardous Waste Numbers: D008 Current Management Units: WWTP 1 Onsite-process/service * Origin Codes: * Source Codes: GO9 Other production or service-related processes * Measurement Points: * NAICS Code: 1 Before mixing 336211 Motor Vehicle Body Manufacturing Wastewater from Elpo Company's Internal Code(s): * The first value is considered the primary value (e.g. primary origin code). As of 09/18/2003, the next unassigned sequence number for WASTES is 9038.

** No Longer Generated Wastes **

Inactive 04/30/01 NA Description from Generator: Clean up of spill (oil); 8/2/93 began removing soil Waste inactivated due to one-time shipment.

Texas Form Code: 301 Soil contaminated with organics

Current Management Units: Contain Store Area * Ortgin Codes: 2 Spill clean-up

Refer to 40 CFR Part 264 for Descriptions of EPA Hazardous Waste Numbers

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

30347 General Motors Corporation Radio-TCEQ Audit Managed Texas Waste Status Date of Complete active Status Onsite/ Waste Class Offsite Code

** No Longer Generated Wastes **

Inactive 01/17/01 NA No Description from Generator: Removal of fluorescent light tubes from light fixtures; 8/93 Waste inactivated due to

rule change.

Texas Form Code: 388 Empty or crushed glass containers
Current Management Units: Contain Store Area 001
* Origin Codes: 1 Onsite-process/service

10033101 1 Inactive 04/30/01 NA Description from Generator: Drained oil filters removed from plant equipment and automobiles: 9/93 Waste inactivated

due to rule change.

Texas Form Code: 310 Spent solid filters or adsorbents (inorganic)

Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service

10049013 3 Inactive 06/13/96 NA No Yes
Description from Generator: Rubber tires/tires are scrapped due to punctures, flats, irregular blemishes, etc.
Refers to waste code (6): 380400
Texas Form Code: 901 Plant production refuse
Current Management Units: Misc Store Container 005
* Origin Codes: 1 Onsite-process/service

10052961 1 Inactive 05/04/01 NA Description from Generator: Removal of antifreeze from automobiles, plant equipment; obsolete antifreeze due Waste

inactivated due to product change.

Refers to waste code (6): 108320

Texas Form Code: 296 Ethylene glycol based antifreeze

Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service 2 Spill clean-up
Company's Internal Code(s): Antifreeze

10062061 1 Inactive 12/20/00 NA No Description from Generator: Oil removed from automobiles, plant equipment; obsolete oil due to processchang Waste inactivated due to rule change.

Refers to waste code (6): 110450

Texas Form Code: 206 Waste oil

Current Management Units: Contain Store Area 001 * Origin Codes: 1 Onsite-process/service 2 Spill clean-up

Company's Internal Code(s): 011

10075041 1 Inactive 01/17/01 NA Description from Generator: Wastewater treatment filter cake from the process of treating our plant process Waste

inactivated due to product change.

Refers to waste code (6): 141710

504 Other inorganic wastewater treatment sludge

Texas Form Code:

Current Management Units:

WWTP

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): WWT Filter Cake

Page:

Date: 09/23/03

IHW020

30347 General Motors Corporation

Inactive 04/30/01 NA

Current Management Units: Contain Store Area

Company's Internal Code(s): CONTAMINATED SOIL/DE

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page:

Date:

09/23/03

TCEQ Audit

Description from Generator: CONSTRUCTION SOIL & DEBRIS FROM TRUCK CONVERSION CONSTRUCTION ACTIVITIES;6/95 Waste inactivated due to one-time shipment.

Texas Form Code: 302 Soil contaminated with inorganics only

* Origin Codes: 1 Onsite-process/service

Radio-

Managed

Texas Waste Status Date of Complete Onsite/ active Waste Class Status Code Offsite ** No Longer Generated Wastes ** 10085191 1 Inactive 01/18/02 NA Description from Generator: Plant sludge from the grit separator which collects plant process water plant sl Waste inactivated due to one-time shipment. Refers to waste code (6): 149000 Texas Form Code: 519 Other inorganic sludges Current Management Units: None * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Plant Sludge (Grit Separator Sludge) and debris 10103191 1 ' Inactive 01/05/01 NA Description from Generator: Gauze, bandages, syringes, needles, blood contaminated materials, obsoletemedic Waste inactivated due to error in submission. Refers to waste code (6): 170421 Texas Form Code: 319 Other waste inorganic solids Current Management Units: None * Origin Codes: 1 Onsite-process/service 2 Spill clean-up Company's Internal Code(s): Medical waste Description from Generator: Electrical Equipment possibly containing PCB's removed from equipment; changes i Waste inactivated due to product change. 177140 Refers to waste code (6): Texas Form Code: 396 Nonhazard elec equip/dev >=50 ppm & <500 ppm PCBs Current Management Units: Contain Store Area 001 * Origin Codes: 1 Onsite-process/service 2 Spill clean-up Company's Internal Code(s): PCB Electrical Equipment Inactive 04/30/01 NA Description from Generator: Ceramic fill's ceramic material removed from the Reeco; nonhazardous Waste inactivated due to one-time shipment.

Texas Form Code: 319 Other waste inorganic solids Current Management Units: None * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Ceramic Fill

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

09/23/03

30347 General Motors Corporation Texas Waste Status Date of Managed Status Waste Class Code

Onsite/ Offsite Radio- TCEQ Audi active Complete TCEQ Audit

** No Longer Generated Wastes **

10183881 1 Inactive 01/17/01 NA NO NO NO Description from Generator: FLUORESCENT LIGHT TUBES & HD LIGHT TUBESREMOVED FROM OPERATION IN PLANT & OFFICE Waste inactivated due to rule change.

388 Empty or crushed glass containers

Texas Form Code: Current Management Units: None

* Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): LIGHT TUBES

10199992 2 Inactive 05/08/97 NA NO NO NO Description from Generator: NONPCB LIGHT BALLASTS REMOVED FROM LIGHTFIXTURES IN THE PLANT & OFFICES

Texas Form Code: 999 Plant Refuse

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): NONPCB LIGHT BALLAST

10206081 1 Inactive 04/30/01 NA Description from Generator: sanitary sludge; clean out from sanitarypipes, traps, etc. Waste inactivated due to

one-time shipment. Texas Form Code: 608 Sewage or other untreated biological sludge (org.)

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): sanitary sludge

Inactive 04/30/01 NA No No Description from Generator: NONHAZARDOUS SEALERS & ADHESIVES Waste inactivated due to source reduction.

Texas Form Code: 119 Other inorganic liquids
Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): NONHAZ SEALERS & ADH

10223101 1 Inactive 04/30/01 NA No Description from Generator: Non haz. abs. from liquid overflow of vehicle assembly. Also includes abs. from repair of vehicles. Consists of cotton pads, oil dry, socks, and misc. non-flammable fluids.

(oil, ATF, antifreeze, brake fluid, etc.) 1992 Waste inactiva

Texas Form Code: 310 Spent solid filters or adsorbents (inorganic)

Current Management Units: Contain Store Area 001
* Origin Codes: 1 Onsite-process/service

10233092 2 Inactive 01/17/01 NA No No Description from Generator: Batteries for recycling - Nickel CadmiumLithium, Alkaline Waste inactivated due to rule

change. 309 Batteries or battery parts, casings, cores

Texas Form Code:

Current Management Units: Contain Store Area

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Batteries

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration

Industrial and Hazardous Waste

30347 General Motors Corporation TCEQ Audit Managed Radio-Texas Waste Status Date of Complete active Waste Class Status Onsite/ Code Offsite ** No Longer Generated Wastes **

10243191 1 Inactive 04/30/01 NA No Description from Generator: Fiberglass debris from demolition of fuel oil tanks for closure. Consistsof fiberglass material and residual soil. First generated 1/2000. Waste inactivated due to one-time

snipment.

Texas Form Code: 319 Other waste inorganic solids
Current Management Units: Waste Pile 006
* Origin Codes: 7 Cor action/closure

10273192 2 Inactive 04/30/01 NA Description from Generator: Non-PCB light ballasts removed light fixtures in plant & offices. 1992 Waste inactivated

due to error in submission. Texas Form Code: 319 Other waste inorganic solids Current Management Units: Contain Store Area 001 * Origin Codes: 1 Onsite-process/service

No

Description from Generator: Removal of rail road ties from construction activities. TCLP run for metaland semivolatiles. Chromium result 0.79 mg/l everything else below detection limit. Waste

inactivated due to one-time shipment.

Texas Form Code: 488 Wood debris Current Management Units: Waste Pile
* Origin Codes: 2 Spill clean-up

Company's Internal Code(s): RR TIES

10314031 1 Inactive 04/30/01 NA No No No Description from Generator: PUMPS REMOVED FROM SERVICE W/ NON HAZARDOUS SEALERS OR URETHANE. Waste inactivated due to

one-time shipment.
403 Solid resins or polymerized organics Texas Form Code:

Current Management Units: Contain Store Area 001
* Origin Codes: 2 Spill clean-up
Company's Internal Code(s): URETHANE PUMPS

10344091 1 Inactive 09/16/02 NA No No Description from Generator: Non-PCB Ballasts removed from out-of-service light fixtures. Waste inactivated due to

error in submission.

Texas Form Code: 409 Other non-halogenated organic solids

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Non-PCB Light Ballas

10354061 1 Inactive 09/16/02 NA

Description from Generator: Plastic Drums for Recycling Waste inactivated due to rule change.

Texas Form Code: 406 Empty fiber or plastic containers

Current Management Units: None
* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Plastic Drums for Re

Page: Date: 09/23/03

IHW020

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

30347 General Motors Corporation Radio-TCEO Audit Texas Waste Status Date of Managed Complete Onsite/ active Waste Class Status Offsite Code ** No Longer Generated Wastes **

10363081 1 Inactive 09/16/02 NA No No Description from Generator: Metal drums for recycling Waste inactivated due to source reduction.

Texas Form Code: 308 Empty or crushed metal drums or containers

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Metal Drums for Recy

Inactive O9/18/O3 NA NO NO Description from Generator: PCB Ballasts > = 50ppm PCBs and < 500 ppm PCBs; Due to waste minimization, ingredient

changes or process changes this waste is no longer generated.

396 Nonhazard elec equip/dev >=50 ppm & <500 ppm PCBs Texas Form Code:

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

10394891 1 Inactive 09/18/03 NA NO NO Description from Generator: Contaminated Dirt; Due to waste minimization, ingredient changes or process changes this waste is no longer generated.

Texas Form Code: 489 Petroleum contaminated solids

Current Management Units: None
* Origin Codes: 2 Spill clean-up

10404091 1 Inactive 09/18/03 NA No

Description from Generator: Out of date Sealers; Due to waste minimization, ingredient changes or process changes this waste is no longer generated.

409 Other non-halogenated organic solids Texas Form Code:

Current Management Units: None

* Origin Codes: 2 Spill clean-up Company's Internal Code(s): SEALER OUT OF DATE

Inactive 09/01/95 NA No. No. Description from Generator: Plant production; plant trash such as, cardboard, packaging material, food waste, glass,

foil, plastics 280240

Refers to waste code (6): Texas Form Code:

901 Plant production refuse

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Plant Trash

20039022 2 Inactive 05/08/97 NA

Description from Generator: Supplemental plant production refuse; floor sweepings, defective/obsolete automobile parts

(nonmetal)

370770 Refers to waste code (6):

Texas Form Code: 902 Supplemental plant production refuse

Current Management Units: None

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Plant wastes

Page: 09/23/03 Date:

Page: Dafe:

30347 General Motors Corporation TCEO Audit Managed Radio-Texas Waste Status Date of Status Complete Waste Class Onsite/ active Offsite Code ** No Longer Generated Wastes ** 20049032 2 Inactive 09/01/95 NA Description from Generator: Plant office refuse; office trash cafeteria food wastes, plates, cups, food packaging waste, aluminum cans & food 280160 Refers to waste code (6): Texas Form Code: 903 Plant Office refuse Current Management Units: None * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Office trash Inactive 05/04/01 NA Description from Generator: Plant office refuse; office trash, cafeteria food wastes, plates, cups, food pac Waste inactivated due to error in submission. 999 Plant Refuse Texas Form Code: Current Management Units: None * Origin Codes: 1 Onsite-process/service Inactive 04/26/01 NA Description from Generator: Weathered Asphalt from construction activities. Used as substitute for rawmaterial, material not a waste. 409 Other non-halogenated organic solids Texas Form Code: 006 Current Management Units: Waste Pile * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Weathered Asphalt Inactive 09/18/03 NA Description from Generator: Dirt with Paint Sludge. Extensive analytical proves material is non-hazardous; Due to waste minimization. Ingredient changes or process changes thiswaste is no longer generated. 301 Soil contaminated with organics Texas Form Code: Current Management Units: None * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Soil with Paint Slud Inactive 01/17/01 NA No No Description from Generator: Ferrous and non-ferrous scrap metal including iron, steel, and copper Waste inactivated due to rule change. 307 Metal scale, filings, or scrap Texas Form Code: Current Management Units: Misc Store Container 003 * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Mixed Scrap Metal Inactive 01/17/01 NA Description from Generator: Off-spec lead wheel weights collected for recycling Waste inactivated dueto rule change.
Texas Form Code: 307 Metal scale, filings, or scrap Current Management Units: Misc Store Container * Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Lead Wheel Weights

Page: Date:

GO6 Painting and coating

09/23/03

30347 General Motors Corporation TCEQ Audit Radio-Managed Waste Status Date of Texas Complete Onsite/ active Status Class Waste Offsite Code ** No Longer Generated Wastes **

Inactive 01/17/01 NA No 20133082 2 Description from Generator: Off-spec metal drums sent for reconditioning Waste inactivated due to error in submission. Texas Form Code: 308 Empty or crushed metal drums or containers

Current Management Units: Misc Store Container 003 * Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Metal drums for recy

20144062 2 Inactive 01/17/01 NA No Description from Generator: Plastic drums sent for recycling/reconditioning Waste inactivated due to error in

submission.

Texas Form Code: 406 Empty fiber or plastic containers
Current Management Units: Misc Store Container 003

* Origin Codes: 1 Onsite-process/service Company's Internal Code(s): Plastic drums for re

Inactive 01/29/01 NA No No Description from Generator: Gauze, bandages, syringes, needles, blood contaminated materials, obsoletemedical materials Waste inactivated due to error in submission.

Texas Form Code: 319 Other waste inorganic solids

Current Management Units: Misc Store Container 004

* Origin Codes: 1 Onsite-process/service

Company's Internal Code(s): Medical Waste

2019211H H Inactive 03/07/02 NA No No Description from Generator: Unused Leaded Gasoline From AST Clean out. Waste inactivated due to errorin submission. Texas Form Code: 211 Paint thinner or petroleum distillates EPA Form Code: W211 Paint thinner or petroleum distillates 2019211H H

DO01 DO08 DO18 EPA Hazardous Waste Numbers:

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

G11 Discarding off-specification or out-of-date chemic * Source Codes:

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing

Inactive 04/30/01 NA 9004409H H Description from Generator: Solvent contaminated absorbant material; solvent contaminated rags, protective c Waste inactivated due to product change.

910110 Refers to waste code (6):

409 Other non-halogenated organic solids

Texas Form Code: EPA Form Code: W409 Other organic solids

EPA Hazardous Waste Numbers: D001 F003 Contain Store Area Current Management Units:

1 Onsite-process/service 2 Spill clean-up * Origin Codes:

* Source Codes: G13 Cleaining out process equipment

G19 Other one-time intermittent processes

Refer to 40 CFR Part 261 for Descriptions of EPA Hazardous Waste Numbers.

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration

Page:

Date:

09/23/03

Industrial and Hazardous Waste

30347 General Motors Corporation Radio-active Texas Waste Status Date of Managed TCEQ Audit Waste Class Onsite/ Complete Status Code Offsite ** No Longer Generated Wastes **

9005117H H Inactive 04/30/01 NA No Description from Generator: Liquid mercury; removal of mercury from meters and other plant equipment Waste inactivated

due to one-time shipment.

Refers to waste code (6): 912520
Texas Form Code: 117 Waste liquid mercury
EPA Form Code: W117 Waste liquid mercury

EPA Hazardous Waste Numbers: D009 U151

Current Management Units: Contain Store Area 001
* Origin Codes: 1 Onsite-process/service 2 Spill clean-up

* Source Codes: G15 Process equipment change-out or discontinuation of G19 Other one-time intermittent processes

* Measurement Points: 1 Before mixing * NAICS Code: 336211 Motor Vehicle Body Manufacturing

9006219H H Inactive 04/30/01 NA Description from Generator: Alcohols; waste alcohol used to clean vehicle bodies in preparation of sealer ap Waste

inactivated due to product change.

Refers to waste code (6): 918410

Texas Form Code: 219 Other organic liquids
EPA Form Code: W219 Other organic liquid
us Waste Numbers: D001

EPA Hazardous Waste Numbers:

Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service

* Source Codes: G09 Other production or service

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manual

1 Onsite-process/service
G09 Other production or service-related processes
G13 Cleaining out process equipment

336211 Motor Vehicle Body Manufacturing

Company's Internal Code(s): Alcohol

Inactive O5/08/97 NA

Description from Generator: Kolene, sodium hydroxide; kolene used in hot molten bath to burn paint off of booth grates; waste kolene salts are dug out of bath periodically.

Refers to waste code (6): 970150

Texas Form Code: 319 Other waste inorganic solids
EPA Form Code: W319 Other inorganic solids

EPA Hazardous Waste Numbers: DO02 Current Management Units: None

* Origin Codes: 1 Onsite-process/service

* Source Codes: 602 Stripping and acid or caustic cleaning

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing Company's Internal Code(s): Kolene salts

Texas

Waste Class

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration

Industrial and Hazardous Waste

Radio- TCEQ Audit active Complete

Code ** No Longer Generated Wastes **

30347 General Motors Corporation

9008319H H Inactive 04/30/01 NA No No Description from Generator: Mercury contaminated equipment & debris; removal of process equipment containing. Waste inactivated due to one-time shipment.

Onsite/

Offsite

Refers to waste code (6): 972210
Texas Form Code: 319 Other waste inorganic solids
EPA Form Code: W319 Other inorganic solids

EPA Hazardous Waste Numbers: D009

Current Management Units: Contain Store Area

1 Onsite-process/service 2 Spill clean-up * Origin Codes:

* Source Codes: G15 Process equipment change-out or discontinuation of G32 Cleanup of spill residues

* Measurement Points: 1 Before mixing

Waste Status Date of Managed

Status

* NAICS Code: 336211 Motor Vehicle Body Manufacturing Company's Internal Code(s): Mercury equipment & debris

9010301H H Inactive 04/30/01 NA Description from Generator: CONTAMINATED SOIL FROM CLOSURE OF HAZARDOUS WASTE TANKS; ORGANICS: 10/95 Waste inactivated

due to one-time shipment. Texas Form Code: 301 Soil contaminated with organics

EPA Form Code: W301 Contaminated Soil

EPA Hazardous Waste Numbers: DO01 F003

Current Management Units: Contain Store Area 001

* Origin Codes: 7 Cor action/closure

* Source Codes: G41 Closure of hazardous waste management unit under R

Inactive 04/30/01 NA Description from Generator: mixed labpack from wastewater treatment laboratory; obsolete products Waste inactivated

due to one-time shipment.

Texas Form Code: 003 Mixed lab packs
EPA Form Code: W001 Lab packs with no acute hazardous waste
EPA Hazardous Waste Numbers: 0001 0002 0003 0009 0011

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

* Source Codes: G22 Laboratory analytical wastes (used chemicals)

Inactive 12/20/00 NA NO NO

Description from Generator: NONHAZARDOUS WWT CHEMICALS; LABPACK Waste inactivated due to one-time shipment.

Texas Form Code: 003 Mixed lab backs

Current Management Units: None

* Origin Codes: 1 Onsite-process/service
Company's Internal Code(s): 90120031-LABPACK

Page: Date:

Page:

30347 General Motors Corporation TCEQ Audit Complete Texas Waste Status Date of Managed Radioactive Waste Class Status Onsite/ Code Offsite ** No Longer Generated Wastes **

Inactive 04/30/01 NA No Description from Generator: P3 PAINT LINE CLEANER 118 (NMP FOR RECYCLE) Waste inactivated due to one-time shipment.

Texas Form Code: 211 Paint thinner or petroleum distillates

EPA Form Code: W211 Paint thinner or petroleum distillates

EPA Hazardous Waste Numbers: DO01 Current Management Units: None

* Origin Codes:

* Source Codes:

* Measurement Points:

* NAICS Code:

* NAICS C

9014219H H Inactive 04/30/01 NA No No Description from Generator: DI (2-ETHYLHEXYL) PHTHALATE (DEHP): OBSOLETE MATERIAL Waste inactivated due to

product change. Texas Form Code: 219 Other organic liquids EPA Form Code: W219 Other organic liquid

EPA Hazardous Waste Numbers: U028
Current Management Units: Contain Store Area

* Origin Codes: 1 Onsite-process/service

* Source Codes: G11 Discarding off-specification or out-of-date chemic

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing

Company's Internal Code(s): DEHP

New Chemical Substance: Yes

Inactive 01/17/01 NA No No Description from Generator: HID light bulbs removed from operation in plant & office areas. 1/2000 Waste inactivated due to rule change.

Texas Form Code: 319 Other waste inorganic solids EPA Form Code: W319 Other inorganic solids Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service

* Source_Codes: G11 Discarding off-specification or out-of-date chemic

* Measurement Points: 1 Before mixing * NAICS Code: 336211 Motor Vehicle Body Manufacturing

IHWO20

* TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

09/23/03

General Motors Corporation 30347 Managed Onsite/ Waste Status Date of Texas Waste Class Status Offsite Code

Radioactive

TCEQ Audit Complete

** No Longer Generated Wastes **

Inactive 01/17/01 NA Description from Generator: Lead acid batteries for recycling. Off spec lead acid batteries from vehicle assembly 1999 Waste inactivated due to rule change.

Texas Form Code: 309 Batteries or battery parts, casings, cores EPA Form Code: W309 Batteries, battery parts, cores, casings

Current Management Units: Contain Store Area 001

* Origin Codes: 1 Onsite-process/service

* Source Codes: G11 Discarding off-specification or out-of-date chemic

* Measurement Points: 1 Before mixing * NAICS Code: 336211 Motor Vehicle Body Manufacturing

9017409H H Inactive 04/30/01 NA No Description from Generator: Waste from Spill Clean up of solvent. Contains PPE, Absorbent material. Waste codes may

Texas Form Code:

EPA Form Code:

Current Management Units:

** Urigin Codes:

** Source Codes:

** So

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing Company's Internal Code(s): Solvent Spill C/U

Inactive 04/30/01 NA No 9032801H H Description from Generator: Unusable and empty Aerosol Paint Cans Waste inactivated due to source reduction.

Texas Form Code: 801 Organic gases

EPA Form Code: W801 Compressed gases

EPA Hazardous Waste Numbers: DO01

Current Management Units: Contain Store Area

* Origin Codes: 1 Onsite-process/service

* Source Codes: GO6 Painting and coating

* Measurement Points: 1 Before mixing * NAICS Code: 336211 Motor Vehicle Body Manufacturing

Company's Internal Code(s): Aerosol paint cans

9033219H H Inactive 09/18/03 NA No No Description from Generator: Formic Acid; Due to waste minimization, ingredient changes or process changes this waste is no longer generated.

Texas Form Code: 219 Other organic liquids EPA Form Code: W219 Other organic liquid

EPA Hazardous Waste Numbers: DO02

Current Management Units: None
 * Origin Codes: 1 Onsite-process/service
 * Source Codes: GO2 Stripping and acid or caustic cleaning

* Measurement Points: 1 Before mixing

* NAICS Code: 336211 Motor Vehicle Body Manufacturing

Company's Internal Code(s): Formic Acid

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

30347 General Motors Corporation TCEO Audit Managed Radio-Texas Waste Status Date of active Complete Onsite/ Waste Class Status Offsite Code ** No Longer Generated Wastes **

Inactive 09/18/03 NA Description from Generator: Out of use Potassuim Cyanide Lab Pack; Due to waste minimization, ingredient changes or

Texas Form Code: 004 Lab packs containing acute hazardous waste EPA Form Code: W004 Lab packs containing acute hazardous waste

EPA Hazardous Waste Numbers: P098

Current Management Units: None

* Origin Codes: 1 Onsite-process/service

* Source Codes: G11 Discarding off-specification or out-of-date chemic

9036004H H Inactive 09/18/03 NA Description from Generator: Chloroform Lab Packed- Unused out of date; Due to waste minimization, ingredient changes or process changes this waste is no longer generated.

Texas Form Code: 004 Lab packs containing acute hazardous wastes EPA Form Code: W004 Lab packs containing acute hazardous waste

EPA Hazardous Waste Numbers: U044

Current Management Units: None
* Origin Codes: 1 Onsite-process/service

* Source Codes: G11 Discarding off-specification or out-of-date chemic

Inactive 09/18/03 NA No No Description from Generator: Mixed LAB PACK; Due to waste minimization, ingredient changes or process changes this waste is no longer generated.

Texas Form Code: O01 Lab packs of old chemicals only
EPA Form Code: WO01 Lab packs with no acute hazardous waste
us Waste Numbers: D001 D002 D007 D009 D011 EPA Hazardous Waste Numbers:

Current Management Units:

* Origin Codes:

* Source Codes: None

1 Onsite-process/service

G11 Discarding off-specification or out-of-date chemic

* Measurement Points: 1 Before mixing

* NAICS Code: 336112 Light Truck and Utility Vehicle Manufacturing

Company's Internal Code(s): LAB PACK MIXED

Page: Date:

09/23/03

30347 General Motors Corporation

**** UNITS AT THIS SITE MANAGING WASTE **** Unit Unit Unit Bate of Classes of Waste Unit Unit # Regulatory Deed Recording
Number Type Status Managed in Unit Permit on Status Needed/Date
Onsite / Offsite Number Permit

** 'Active' & 'Closure Pending' Units **

11/01/84 1 2 H/ NA NA NA Contain Store Area Active

Tank (Surface) Active

Description from Company: Bulk Storage Tank, Waste Purge Thinner (12,000 Gallon Capacity)
System Types: 141 Storage, bulking, and/or transfer off-site - no tr
Wastes Currently Managed in Unit: 9001211H Purging of
Wastes Previously Managed in Unit: 9002211H 910110 916600 916940

Wastes Previously Managed in Unit: 10095191 Paint slud 10124061 Plastic dr 10143111 Asbestos a 10373101 Paint Filt 20059992 Plant prod 20103072 Ferrous an 20123072 Off-spec 1 20133082 Off-spec m 20144062 Plastic dr 9009310H ELPO Filte Wastes Previously Managed in Unit: 10013011 10075041 10085191 10153191 10404091 141710 149000 150110 179200 179280 179390 20029012 20039022 20049032 20069992 280160 280240 370510 370760 370770 380200 380270 380400

Description from Company: Misc. storage containers; containers for medical waste located in the plant System Types: 141 Storage, bulking, and/or transfer off-site - no tr
Wastes Currently Managed in Unit: 20163191 Gauze, ban 20173192 Gauze, ban
Wastes Previously Managed in Unit: 10103191 170421

Misc Store Container Active 01/27/94 1 2 3/ NA NA RCRA Pmt Exempt - Accumulation Time

Description from Company: Misc Storage containers; scrap tires for shipment to recycling company loca ted

near salvage building near salvage building System Types: 141 Storage, bulking, and/or transfer off-site - no tr Wastes Currently Managed in Unit: 10049013 Rubber tir 10179992 rubber tir 10294091 Combines T

Ŧ	11	1.	n	n	\sim
	п	ı.		_	

Page: Date:

09/23/03

· ** 'ACTIVE' & 'CLOSURE PENDING' HE	Unit Status nits **				Permit	Regulatory [Status	Deed Recording Needed/Date
006 Waste Pile Description from Company: Non Ha	Active zardous solid wast surface impoundmer : Regulatory stat : 10243191 Fiberg	06/12/96 e mgmt uni t that wil us unknown lass 103	1 2/ NA t for soll from 1 be close 1	NA construciton 41 Storage	NA activit , bulking	RCRA Pmt Exempt - Accumulation Time ies g, and/or transfer off-site - no tr	
OO7 Tank (Surface) Description from Company: Paint a Capacity: 12 System Types: 141 Storage, bulk Biennial System Regulatory Status Wastes Currently Managed in Unit	000.0000 (cing. and/or trans	apacity Un	it of Measure: te - no tr 2211H Waste pain	G		RCRA Pmt Exempt - Accumulation Time	
OO8 Misc Store Container Description from Company: Paint a Capacity: System Types: 141 Storage, bulk Biennial System Regulatory Status Wastes Currently Managed in Unit Wastes Previously Managed in Unit	32.0000 (cing, and/or trans Regulatory stat	apacity Un fer off-si us unknown	1/ NA ator) sludge rol it of Measure: te - no tr	NA 1 off boxes Y	ŃΑ	Non-Hazardous Regulated	NA /
Description from Company: Waste W	Active Water Treatment Fi 32.0000 (king, and/or trans Regulatory stat	05/22/97 Iter Cake apacity Un ifer off-si	1 H/ NA Roll Off Boxes it of Measure: te - no tr	NA Y	NA .	Non-Hazardous Regulated	NA /
Capacity: lote for Company: lote for Capacity: System Types: 141 Storage, bull Blennial System Regulatory Status Wastes Currently Managed in Unit	or Accummulation of 300.0000 (king, and/or trans: Regulatory state: 9003210H Hazaro	of semi-sol apacity Un ifer off-si us unknown lous	id waste sealers it of Measure: te - no tr	, adhesives, G	greases		NA /
Oll Waste Compactor Description from Company: Plant	Active Trash Compactors (42.0000 (ing, and/or trans) Regulatory stat 20059992 Plant	05/22/97 2) WITH 42 apacity Un der off-si us unknown	2/.NA YD TRASH PACKER it of Measure:	NA BOXES	NA	Non-Hazardous Regulated	NA /

IHWO2O			*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste			Page: 21 Date: 09/23/03				
	30347 General Motors Corporation Unit Unit Number Type ** 'Active' & 'Closure Pending' U	Unit Status	Status	Managed	of Waste in Unit Offsite	Unit Permit Number	Unit # on Permit	Regulatory Status		Deed Recording Needed/Date
	O12 Sump Description from Company: Waste Capacity: System Types: O39 Other recove Wastes Currently Managed in Unit	cafeteria grease su 3000.0000 Ca ry or reclamation f	ipacity Un	it of Me	NA easure: g	NA NA	NA .	Non-Hazardous Regulated	·	NA /
	O13 Contain Store Area Description from Company: Contai Capacity: System Types: 141 Storage, bul Wastes Currently Managed in Unit	ner Storage Area in 700.0000 Ca king, and/or transf	pacity Un er off-si	it of Me te - no	easure: g	NA 9003210H	NA Hazardou	RCRA Permit Exempt<90 Day Si	torage	NA /
	1 0 00/40/0000 11				· · · · · · · · · · · · · · · · · · ·					

As of 09/18/2003, the next unassigned sequence number for UNITS is 014.

IHWO20

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: 22 Date: 09/23/03

Index to NOR for Solid Waste Registration Number 30347 General Motors Corporation for wastes and units

Wastes

Waste Code	Waste Description		NOR Pag	
** Active Wastes 100951! 101240! 101330! 101431 101799! 102840! 103329! 103731! 200131! 200599! 200731! 201199! 20173!! 900121 900221 900931! 903130! 903410	Paint sludge; from our process of the plastic drum liners; rem all rers; rem all recovered drums. Asbestos and asbestos concept rubber tires/tires are so oily water from mopping. Combines TNRCC#'s 102111 prilters and sludge from and the process of the process of the production refuse; because the production r	191,10223101,10033101 zinc phosphating of auto vehicle filling operation geout. in beads; beads used in p ; plant trash, such as ca rical equipment and compu paper and newsprint es, needles, blood contam ent with solvent. New ana gasoline from assembly an	al 22 22 22 22 22 22 22 22 22 22 22 22 22	
** Inactive Wast 100130 100238 100331 100490 100529 100620 100750 100851 101031 101139 101531 101630 101838 101999 102060 102111 102231 102330 102431 102731 103048 103140 103630 103839 103948	Clean up of spill (oil); Removal of fluorescent in Removal of fluorescent in Drained oil filters removed in Removal of antifreeze from automotical in Removal of antifreeze from automotical in Removal of antifreeze from the grant sludge from the grant sludge from the grant sludge from the grant fill plant sludge from the grant fill grant sludges, syringe for Ceramic fill's ceramic fill fill fill fill fill fill fill fi	; 8/2/93 began removing s light tubes from light fi oved from plant equipment scrapped due to punctures rom automobiles, plant eq biles, plant equipment; o liter cake from the proces rit separator which colle es, needles, blood contam ssibly containing PCB's r material removed from the RIS FROM TRUCK CONVERSI & HD LIGHT TUBESREMOVED EMOVED FROM LIGHTFIXTURES Out from sanitarypipes, t ADHESIVES Waste inactiva id overflow of vehicle as - Nickel CadmiumLithium, demolition of fuel oil ta removed light fixtures in es from construction acti ICE W/ NON HAZARDOUS SEAL d from out-of-service lig ling Waste inactivated du pCBs and < 500 ppm PCBs; to waste minimization, in	xt	

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: 23 Date: 09/23/03

Index to NOR for Solid Waste Registration Number 30347 General Motors Corporation for wastes and units $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

Wastes

Waste Code	Waste Description
10404091 20029012 20039022 20049032 20069992 20084092 20093012 20103072 20123072 20133082 20144062 20163191 2019211H 9004409H 9005117H 9006219H 9007319H 9007319H 9010301H 9011003H 9011003H 901120031 9013211H 9014219H 9015319H 9015319H 9015319H 9015319H 9017409H 9017409H 9032801H 903219H 9032801H	Out of date Sealers; Due to waste minimization, in Plant production; plant trash such as, cardboard, Supplemental plant production refuse; floor sweep! Plant office refuse; office trash cafeteria food w Plant office refuse; office trash, cafeteria food Weathered Asphalt from construction activities. Us Dirt with Paint Sludge. Extensive analytical prove Ferrous and non-ferrous scrap metal including iron Off-spec lead wheel weights collected for recyclin Off-spec metal drums sent for reconditioning Wast Plastic drums sent for recycling/reconditioning W Gauze, bandages, syringes, needles, blood contamin Unused Leaded Gasoline From AST Clean out. Waste Solvent contaminated absorbant material; solvent c Liquid mercury; removal of mercury from meters and Alcohols; waste alcohol used to clean vehicle bodi Kolene, sodium hydroxide; kolene used in hot molte Mercury contaminated equipment & debris; removal o CONTAMINATED SOIL FROM CLOSURE OF HAZARDOUS WASTE mixed labpack from wastewater treatment laboratory NONHAZARDOUS WWT CHEMICALS; LABPACK Waste inactiv P3 PAINT LINE CLEANER 118 (NMP FOR RECYCLE) Wast DI (2-ETHYLHEXYL) PHTHALATE (DEHP); OBSOLETE M HID light bulbs removed from operation in plant & Lead acid batteries for recycling. Off spec lead Waste from Spill Clean up of solvent. Contains PPE Unusable and empty Aerosol Paint Cans Waste inact Formic Acid; Due to waste minimization, ingredient Out of use Potassuim Cyanide Lab Pack; Due to wast
9036004H 9037001H	Chloroform Lab Packed- Unused out of date; Due to Mixed LAB PACK; Due to waste minimization, ingredi

Old Texas Waste Code

NOR Page

11112222233333444455556666777778888

*** TEXAS COMMISSION ON ENVIRONMENTAL QUALITY *** Notice of Registration Industrial and Hazardous Waste

Page: Date:

09/23/03

Index to NOR for Solid Waste Registration Number 30347 General Motors Corporation for wastes and units

Wastes

	Waste Code	Waste Description	NOR Page	Old Texas Waste Code
			000000000000000000000000000000000000000	
			0 0 0	
Units	<u>.</u>		-	
	Unit Sequence Number	Unit Description	NOR Page	
** Active	and Closure Pe 001 002 003 004 005 006 007 008 009 010 011 012 013	Barrel Yard on West Side Plant outside of the "30 Bulk Storage Tank, Waste Purge Thinner (12,000 Gal Roll-Off boxes Misc. storage containers; containers for medical w Misc Storage containers; scrap tires for shipment Non Hazardous solid waste mgmt unit for soil from Paint and Thinner waste from paint shop operations Paint and Plant Sludge (grit seperator) sludge rol Waste Water Treatment Filter Cake Roll Off Boxes Tote for Accummulation of semi-solid waste sealers Plant Trash Compactors (2) WITH 42 YD TRASH PACKER Waste cafeteria grease sump Container Storage Area in main mix room	19 19 19 19 20 20 20 20 20 21 21	